Appl. No. 10/711,817
Amdt. dated June 26, 2007
Reply to Office action of April 09, 2007

Amendments to the Claims:

1. (currently amended) A multi-language system being applied in a mobile
unit, comprising:

5   an interface module utilized for generating a user interface;

           a language information module comprising at least one
           identification string and at least one language information set,
           each identification string corresponding to a language
           information set, and each language information set representing a

10   natural language; and

           a font database containing at least one font set, each font set
           corresponding to a language information set and containing at
           least one font file for representing the natural language
           corresponding to the language information set;

15   wherein according to the language information set stored in the
           language information module, the interface module is utilized for
           reading the font set corresponding to the natural language which
           corresponds to the language information set to select and display
           the font file(s) on the user interface;

20   ~~wherein~~ the identification string is a supplementary service control
           string (SSC string);~~and~~

           the mobile unit conforms to the global system for mobile
           communications (GSM) specification; and

           the interface module is stored in a first storage device of the mobile

25   unit by a manufacturer of the mobile unit, and the language
           information module and the font database are stored in different
           storage device(s) of the mobile unit by the manufacturer of the
           mobile unit.

2

Appl. No. 10/711,817
Amdt. dated June 26, 2007
Reply to Office action of April 09, 2007

2-4. (cancelled)

5. (original) The multi-language system of claim 1, wherein the language
information module is a configuration file.

6. (original) The multi-language system of claim 1, wherein when
inserting or deleting a specific natural language into or from the
multi-language system, an identification string and a language
information set corresponding to the specific natural language are
inserted into or deleted from the language information module, and the
font set(s) corresponding to the specific natural language is (are)
inserted into or deleted from the font database.

7. (currently amended) The multi-language system of claim 1, wherein the
interface module is stored in the a first storage device, and the language
information module and the font database are stored in a second storage
device.

8. (currently amended) The multi-language system of claim 1, wherein the
interface module is stored in the a first storage device, the language
information module is stored in a second storage device, and the font
database is stored in a third storage device.

9. (original) The multi-language system of claim 1, wherein the user
interface is a Man-Machine Interface (MMI).

10. (currently amended) A method for displaying multi languages on a user

3

interface being applied in a mobile unit, comprising:

executing an interface module for generating the a user interface;

reading a language information module, wherein the language information module comprises at least one identification string

5   and at least one language information set, each identification string corresponding to a language information set, and each language information set representing a natural language;

finding a font file of a character stored in a font set corresponding to a specific natural language in a the font database according to

10   a language information set stored in the language information module, wherein the language information set corresponds to the specific natural language; and

displaying the font file on the user interface;

wherein the identification string is a supplementary service control

15   string (SSC string); and

the mobile unit conforms to the global system for mobile communications (GSM) specification; and

the interface module is stored in a first storage device of the mobile unit by a manufacturer of the mobile unit, and the language information

20   module and the font database are stored in different storage device(s) of the mobile unit by the manufacturer of the mobile unit.

11-13. (cancelled)

25   14. (original) The method of claim 10, wherein the language information module is a configuration file.

15. (original) The method of claim 10, wherein the interface module is

4

Appl. No. 10/711,817
Amdt. dated June 26, 2007
Reply to Office action of April 09, 2007

stored in a first storage device, and the language information module
and the font database are stored in a second storage device.

16. (original) The method of claim 10, wherein the interface module is
5   stored in a first storage device, the language information module is
         stored in a second storage device, and the font database is stored in a
         third storage device.

17. (original) The method of claim 10, wherein the user interface is a
10   Man-Machine Interface (MMI).

18. (currently amended) A method for inserting a specific natural language
         into a ~~the~~ multi-language system being applied in a mobile unit,
         wherein the multi-language system comprises:
15   a   language   information   module   comprising   at   least   one
             identification string and at least one language information set,
             each   identification   string   corresponding   to   a   language
             information set, and each language information set representing
             a natural language; and
20   a   font database containing at least one font set, each font set
             corresponding to a language information set;
         the method comprises:
             inserting an identification string and a language information set
             corresponding to the specific natural language into the language
25   information module; and
             inserting the font set(s) corresponding to the specific natural
             language into the font database;
         wherein the identification string is a supplementary service control

5

Appl. No. 10/711,817
Amdt. dated June 26, 2007
Reply to Office action of April 09, 2007

string (SSC string); and

the mobile unit conforms to the global system for mobile communications (GSM) specification: and

the language information module and the font database are stored by a

5   manufacturer of the mobile unit in different storage device(s) than a

user interface module of the mobile unit.

19. (cancelled)

10   20. (original) The method of claim 18, wherein the language information module is a configuration file.

21. (currently amended) A method for deleting a specific natural language from a multi-language system being applied in a mobile unit, wherein

15   the multi-language system comprises:

a   language   information   module   comprising   at   least   one identification string and at least one language information set, each   identification   string   corresponding   to   a   language information set, and each language information set representing

20   a natural language; and

a font database containing at least one font set, each font set corresponding to a language information set;

the method comprises:

deleting an identification string and a language information set

25   corresponding to the specific natural language from the language information module; and

deleting the font set(s) corresponding to the specific natural language from the font database;

6

Appl. No. 10/711,817
Amdt. dated June 26, 2007
Reply to Office action of April 09, 2007

   wherein the identification string is a supplementary service control
      string (SSC string); and
   the mobile unit conforms to the global system for mobile
      communications (GSM) specification; and
5 the language information module and the font database are stored by a
      manufacturer of the mobile unit in different storage device(s) than a
      user interface module of the mobile unit.

   22. (cancelled)
10
   23. (original) The method of claim 21, wherein the language information
      module is a configuration file.

   24. (previously presented) The multi-language system of claim 1, further
15 comprising a microprocessor; wherein the interface module is a piece of
   program code executable by the microprocessor.

   25. (previously presented) The multi-language system of claim 1, wherein
   elements in the multi-language system communicate with each other using
20 supplementary service control (SSC) strings.

   26. (new) The multi-language system of claim 1, wherein languages that
   can be used to display information on the user interface of the mobile unit
   are stored in the language information module and the font database by the
25 manufacturer of the mobile unit before providing the mobile unit to market.

   27. (new) The method of claim 10, further comprising storing languages
   that can be used to display information on the user interface of the mobile

7

Appl. No. 10/711,817
Amdt. dated June 26, 2007
Reply to Office action of April 09, 2007

unit in the language information module and the font database by the
manufacturer of the mobile unit before providing the mobile unit to market.

28. (new) The method of claim 18, further comprising inserting the specific
5   natural language in the language information module and the font database
by the manufacturer of the mobile unit before providing the mobile unit to
market.

29. (new) The method of claim 21, further comprising deleting the specific
10   natural language from the language information module and the font
database by the manufacturer of the mobile unit before providing the
mobile unit to market.

8